

09/22/99
JCS32 U.S. PTO

A

JCS32 U.S. PTO
09/401221
09/22/99

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant (1st named): Gorkem I. Ates

Invention: INTERNET SYSTEM

Agt. Doc. No.: ATEG21A Paper Number: Attached to application

The Serial Number, Filing Date, Group Art Unit, and Examiner, are yet to be assigned because this transmittal letter is being submitted with the application.

Assistant Commissioner for Patents
Washington, D.C. 20231
Box PATENT APPLICATIONS

APPLICATION TRANSMITTAL LETTER, page -I-

Sir: Submitted herewith are the following items:

1. Filing fee in the Amount of \$380.00;
2. Return Receipt Postcard;
3. 6 Sheet(s) of FORMAL Drawings;
4. Cover page -0-, 26 Pages of Specification, including a total of 6 claims, 2 of which is/are independent;
5. VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9 (f) and 1.27 (b)) - INDEPENDENT INVENTOR, executed by applicant(s);
6. DECLARATION, POWER OF ATTORNEY, AND PETITION FOR PATENT APPLICATION, executed by applicant(s); and
7. Information Disclosure Statement page -i-, and Form PTO-1449 with indicated citations attached thereto.

Respectfully submitted,

Richard L. Miller
Agent for Applicant

Richard L. Miller, Reg. No.: 26,309
12 Parkside Drive
Dix Hills, N.Y. 11746-4879

Date: Sep. 1, 1999

Phone: (516) 499-4343

Agt. Doc. No.: ATEG21A

-I-

As Article No.: EM206350402US I hereby certify that on the below indicated date, this correspondence is being deposited with the U.S. Postal Service as EXPRESS MAIL in an envelope addressed to: ASSISTANT COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231.

Bv: *Richard L. Miller*
Richard L. Miller, Agent for applicant
DATE: Sept 22, 1999

Applicant: Gorkem I. Ates

Serial No. Doc. No.: ATEG21A Filed: with Application

Invention: INTERNET SYSTEM

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) and 127(b)) - INDEPENDENT INVENTOR**

I, as a below named inventor, I hereby declare that I qualify as an independent inventor as defined in 37 CFR 1.9(c) for purposes of paying reduced fees under section 41(a) and (b) of 35 U.S.C., to the Patent and Trademark Office with regard to the invention entitled: INTERNET SYSTEM described in the application filed herewith.

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license any rights in the invention to any person who could not be classified as an independent inventor under 37 CFR 1.9(c) that person has made the invention or to any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

I have not assigned, granted, conveyed or licensed and am under no obligation under contract or law to assign, grant, convey or license any rights in the invention listed below:

- ☒ [X] no such person, concern, or organization
- ☐ [] persons, concerns or organizations listed below

Full Name: _____

Address: _____
☐ []-INDIVIDUAL ☐ []-SMALL BUSINESS CONCERN ☐ []-NONPROFIT ORGANIZATION

Full Name: _____

Address: _____
☐ []-INDIVIDUAL ☐ []-SMALL BUSINESS CONCERN ☐ []-NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in the loss of entitlement to small entity status prior to paying or at the time of paying the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon or any patent to which this verified statement is directed.

Date: Sep 10th 1999 SIGN HERE-->> Gorkem Ates
*** DATE ABOVE *** Legal Signature of: Gorkem I. Ates

APPLICATION FOR UNITED STATES LETTERS PATENT

ON INVENTION FOR:

INTERNET SYSTEM

BY INVENTOR: Gorkem I. Ates

Agt. Doc. No.: ATEG21A

RICHARD L. MILLER

REGISTERED PATENT AGENT

12 PARKSIDE DRIVE

DIX HILLS, NEW YORK 11746-4879

PHONE: (516) 499-4343

TO ALL WHOM IT MAY CONCERN:

BE IT KNOWN that I, Gorkem I. Ates,
a citizen of TURKEY and resident of:
Tandogan, Ankara, Turkey

have invented certain new and useful improvements in a(n):
INTERNET SYSTEM

of which the following is a full, clear, concise and exact
description:

[illegible][illegible][illegible]

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

[illegible][illegible][illegible][illegible][illegible][illegible]

Typically, the user's computer includes an operating system for controlling the resources of the user's computer, including its central processing unit ("CPU"), memory (both volatile and non-volatile memory), and computer peripherals such as printers, modems, and other known computer peripheral devices. The user typically executes application programs and system services to generate data files or programs.

Most computers are coupled to a network through a network communications printed circuit card which is typically resident within each computer system. This communications card typically includes processors, programs, and memory to provide the electrical signals for transmission of data and implement the protocol which standardizes the messages transmitted through a network.

To communicate data from a user's application program or operating system service, a protocol stack is typically implemented between the communication card for the network and the operating system services and application programs. The typical protocol stack used on most open networks is a Transport Control Protocol/Internet Protocol ("TCP/IP").

The TCP/IP stack includes a transport layer which divides a data stream from an application program or service into segments and which adds a header with a sequence number for each segment.

The TCP segments generated by the transport layer creates a packet having a packet header and a data portion. The data portion contains the TCP segment and the packet header contains a

source address identifying the computer sending a message and a destination address identifying the computer for which the message is intended. The IP layer also determines the physical address of the destination computer or an intermediate computer, in some cases, which is intended to receive the transmitted message.

The packet and the physical addresses are passed to a datalink layer. The datalink layer typically is part of the program implemented by a processor on the communication card and it encapsulates the packet from the IP layer in a datalink frame which is then transmitted by the hardware of the communication card. This datalink frame is typically called a packet.

At the destination computer, the communication card implements the electrical specification of a hardware communication standard, such as Ethernet, and captures a data message from a source computer, with the word "message" henceforth including the data entities packet and datalink frame. The datalink layer at the destination computer discards the datalink header and passes the encapsulated packet to the IP layer at the destination computer.

The IP layer at the destination computer verifies that the packet was properly transmitted, usually by verifying a checksum for the packet. The IP layer then passes the encapsulated TCP segment to the transport layer at the destination computer. The transport layer verifies the checksum of the TCP message segment and the sequence number for the TCP packet. If the checksum and

663350-12270480

TCP sequence number are correct, data from the segment is passed to an application program or service at the destination computer.

Modern information networks, e.g. the Internet, use servers to store documents. In the World Wide Web (web), these documents are addressed by uniform resource locators (URLs). URLs specify the protocol by a prefix in the URL, such as http:// for Hyper Text Transfer Protocol, the host in the Internet where the document is stored, and the address of the document within the host. The Web is thus not a single protocol, but a combination of several protocols united by a common addressing scheme, i.e. the URL.

The tremendous continuing growth of the Web makes it necessary to have intermediate servers which perform caching (store documents locally, such that the documents may be quickly accessed from the local file system, instead of being retransferred again from the original server. Such servers (see, for example A. Luotonen, K. Atlis, World Wide Web Proxies, Proceedings of First International World-Wide-Web Conference, Geneva 1994) are referred to as caching proxy servers, or proxies for short. See, also A. Chakhuntod, P. Danzig, C. Neerdaels, M. Schwartz, K. Worrell, A Hierarchical Internet Object Cache, USENIX 1996 ANNUAL TECHNICAL CONFERENCE, <http://usenix.org/publications/library/proceedings/sd96/danzig.html>). Proxies reduce network load, and shorten response times to the user.

1 The operation of a prior art proxy server 10 can best be
2 seen in figure 1, and as such, will be discussed with reference
3 thereto.

4 When a client 12 requests a new document from the proxy
5 server 10, the proxy server 10 copies the document from the
6 origin server 14 to its local file system in addition to sending
7 the document to the client 12. When another requests comes for
8 the same document, the proxy server 10 returns the document from
9 the cache 16, if the cached copy is still up to date. If the
10 proxy server 10 determines that the document may be out of date,
11 it performs an up-to-date check from the remote origin server 14
12 and refreshes the document, if necessary, before sending it to
13 the client 12.

14 Numerous innovations for network related systems have been
15 provided in the prior art that will be described. Even though
16 these innovations may be suitable for the specific individual
17 purposes to which they address, however, they differ from the
18 present invention.

19 A FIRST EXAMPLE, U.S. Patent No. 5,463,735 to Pascucci et
20 al. teaches a network system having a wide variety of
21 applications and particularly applicable to facilities management
22 systems that includes network controllers which continuously
23 process data related to building and industrial, environmental,
24 security and other automated system controls. Each network
25 controller has a network address indicative of a communication
26 link to which the network controller is connected, a local

0440120400
address and a node drop ID to determine whether the network controller is a configured or non-configured device. Data stored in an archive device is downloaded to a destination network controller in the absence of a routing table in the destination network controller by transmitting a download request message from the archive device to an intermediate network controller with a routing table. The intermediate network controller assumes control of the download request by transmitting the message to the destination controller. The destination controller acknowledges receipt of the message by transmitting an acknowledge message back to the intermediate network controller, which passes the acknowledge message to the archive device in accordance with the routing information stored in the intermediate network controller. Thus, as certain network controllers are connected, disconnected or disabled during the operation of the network, the control of a process is not interrupted. Additionally, the network controllers are not configured to store large amounts of routing data because a path to a device can be established through other controllers with routing information.

A SECOND EXAMPLE, U.S. Patent No. 5,727,159 to Kikinis teaches a system wherein relatively low-end-computers, such as portable, battery-powered computers ordinarily incapable of Internet browsing functions may be used to browse the Internet. The enhanced computing ability for such portables is provided by a unique arrangement having a Proxy-Server with adequate

computing power for all World Wide Web (WWW) browsing and downloading functions, and further capable of transposing downloaded files to alternative, low-information-density form suitable for rapid processing and display by connected portable and other low-end computers. In some embodiments the data link from the connected low-end units is a TCP/IP pipe, supporting TCP/IP protocol, but not the many sophisticated extensions usually associated with TCP/IP. In embodiments wherein battery-powered units are used, connected to the Proxy-Server, battery life is exhibited far beyond what would be expected for a battery-powered computer with computing power for browsing the Internet directly.

A THIRD EXAMPLE, U.S. Patent No. 5,754,857 to Gadol teaches a system and method for automating workflow by distributing the tasks required for the execution of said workflow over servers and clients connected on a network. The disclosed system and method allow the stages of the workflow to be performed asynchronously, meaning that, once a workflow initiated by a user has been initiated by a database server, the stages of the workflow can be executed on respective network clients without further interaction with the server (i.e. without requiring a stateful connection between the clients and servers). This is accomplished through the use of a workflow courier that embodies all programs (encompassing rules governing the execution of the workflow) and forms needed by clients to complete stages of the workflow. The workflow courier also stores workflow state

652260" T 22450

information that indicates which stages of the workflow have been completed. The executable programs are written in the platform-independent Java programming language and are therefore executable on any computer that has an installed Java browser. After each stage is executed, the client executing that stage updates the workflow courier and transmits the updated workflow courier to a client having an associated user who is authorized to perform the next step in the workflow. The updated state information indicates to the recipient of the workflow which stages remain to be completed.

A FOURTH EXAMPLE, U.S. Patent No. 5,862,344 to Hart teaches apparatus and methods for providing processing system network connectivity, and more particularly, for routing data packets between at least two processing system networks. A first memory for storing at least one address for each of the networks, and a second memory for storing selectively at least one address for particular ones of the networks, are provided. A control circuit for routing a received data packet from a source network to a destination network is also provided. The control circuit utilizes a destination address which was retrieved from one of the first memory and the second memory, in response to a determination as to whether at least one address corresponding to the destination network is stored in the second memory.

A FIFTH EXAMPLE, U.S. Patent No. 5,864,852 to Loutonen teaches a proxy server, wherein variable length URLs are digested and thereby homogenized, such that each URL is converted to a URL

663350-12270450

fingerprint that has a unique identity and a same fixed size. The URL fingerprint is used to map the URL to a proxy server cache directory structure. A unique file name may also be generated from the URL fingerprint for each URL. The same bits are used in the file name, such that any given file can be remapped later to a directory structure that had been expanded or collapsed, so that the first bits are not unique to a particular hierarchy. A unique cache information file is included in the directory to store document-related information for each other file in the directory for quick access. Accordingly, the invention provides an addressing and cache organization scheme that allows quick access to documents that contain all the relevant information for each of the URLs.

A SIXTH EXAMPLE, U.S. Patent No. 5,892,903 to Klaus teaches a system and method for detecting security vulnerabilities in a computer network. The system includes an IP spoofing attack detector, a stealth port service map generator, a source port verifier, source routing verifier, an RPC service detector and a Socks configuration verifier. Each of these verifiers may be operated separately or as a group to detect security vulnerabilities on a network. Each verifier may be programmed to exhaustively test all ports of all computers on a network to detect susceptibility to IP spoofing attacks, access to services with little or no authorization checks or misconfigured routers or Socks servers. The detected vulnerabilities or the location of services having little or no authorization checks may be

stored in a table for reference by a network administrator. The service map generated by the stealth service map generator may be used to identify all service ports on a network to facilitate the operation of the other verifiers which send service command messages to service ports to detect their accessibility. A graphic user interface (GUI) may be used to provide input and control by a user to the security verifiers and to present options and display information to the user.

A SEVENTH EXAMPLE, U.S. Patent No. 5,913,040 to Rakavy et al. teaches methods and apparatus for selecting advertisements and other information from a computer network database based on user defined preferences and transmitting the selected advertisement in background mode over a communications link between the computer network and a local computer with minimal interference with other processes communicating over the communications link. This method includes monitoring the communications link and transmitting portions of the advertisement when the communications link line utilization is below a preestablished threshold. Methods and apparatus are also provided for displaying or otherwise presenting the selected advertisements on the user's computer. Additional methods and apparatus are provided for selecting and presenting information stored on a local storage media based on user defined preferences.

It is apparent that numerous innovations for network related systems have been provided in the prior art that are adapted to

be used. Furthermore, even though these innovations may be suitable for the specific individual purposes to which they address, however, they would not be suitable for the purposes of the present invention as heretofore described.

04401-099

SUMMARY OF THE INVENTION

ACCORDINGLY, AN OBJECT of the present invention is to provide an Internet system that avoids the disadvantages of the prior art.

ANOTHER OBJECT of the present invention is to provide an Internet system that is simple and inexpensive to manufacture.

STILL ANOTHER OBJECT of the present invention is to provide an Internet system that is simple to use.

YET ANOTHER OBJECT of the present invention is to provide an Internet system that has the advantages of multicasting, such as lower server and bandwidth costs, but without multicasting supporting hardware.

STILL YET ANOTHER OBJECT of the present invention is to provide an Internet system that is fast and flexible, by virtue of the number of participant servers can be changed dynamically with little cost compared to upgrading the main server.

YET STILL ANOTHER OBJECT of the present invention is to provide an Internet system that relies on the fact that multicasting equipment is expensive and ISP's are reluctant to upgrade, and unless most of the net is equipped with multicasting machines, multicasting won't operate efficiently.

STILL YET ANOTHER OBJECT of the present invention is to provide an Internet system that provides safety to the participant servers in the network against attacks, such as

652250 "T21A460

denial of service attacks, because their IP addresses are not revealed to clients and thus hackers.

BRIEFLY STATED, YET STILL ANOTHER OBJECT of the present invention is to provide an Internet system. The system includes a main server and at least one participant server. The main server stores information to be requested over the Internet by a client so as to form a request for information and has an IP address. The at least one participant server has an IP address and electrically communicates with the main server. The at least one participant server does not receive the request for information from the client, but rather the main server receives the request for information over the Internet from the client and requests over the Internet that the at least one participant server send the requested information over the Internet back to the client. If the at least one participant server does not have the requested information, the requested information is downloaded from the main server to the at least one participant server. When the at least one participant server sends the requested information over the Internet back to the client, the at least one participant server assigns to the requested information the IP address of the main server and not the IP address of the at least one participant server.

The novel features which are considered characteristic of the present invention are set forth in the appended claims. The invention itself, however, both as to its construction and its method of operation, together with additional objects and

advantages thereof, will be best understood from the following description of the specific embodiments when read and understood in connection with the accompanying drawing.

2014-09-09 14:00:00

BRIEF DESCRIPTION OF THE DRAWING

The figures on the drawing are briefly described as follows:

FIGURE 1 is a block diagram of the operation of a prior art proxy server;

FIGURE 2 is a block diagram of the operation of the present invention; and

FIGURES 3A-3D are a process flow for using the present invention.

LIST OF REFERENCE NUMERALS UTILIZED IN THE DRAWING

Prior Art

- 10 prior art proxy server
- 12 client
- 14 origin server
- 16 cache

Present Invention

- 20 Internet system of the present invention
- 22 main server for storing information 24 to be requested over Internet 26 by client 28 so as to form a request for information 30
- 24 information to be requested over Internet 26 by client 28 so as to form a request for information 30
- 26 Internet
- 28 client
- 30 request for information
- 32 IP address of main server 22
- 34 at least one participant server
- 36 IP address of at least one participant server 34
- 38 IP address of client 28
- 40 at least one nearest participant server of at least one participant server 34

66 250 " T A T D 4 5 0

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring now to the figures, in which like numerals indicate like parts, and particularly to figure 2, the Internet system of the present invention is shown generally at 20.

The Internet system 20 comprises a main server 22 for storing information 24 to be requested over the Internet 26 by a client 28 so as to form a request for information 30 and having an IP address 32.

The Internet system 20 further comprises at least one participant server 34 having an IP address 36 and electrically communicating with the main server 22.

The at least one participant server 34 does not receive the request for information 30 from the client 28, but rather the main server 22 receives the request for information 30 over the Internet 26 from the client 28 and requests over the Internet 26 that the at least one participant server 34 send the requested information 30 over the Internet 26 back to the client 28, and if the at least one participant server 34 does not have the requested information 30, the requested information 30 is downloaded from the main server 22 to the at least one participant server 34.

When the at least one participant server 34 sends the requested information 24 over the Internet 26 back to the client 28, the at least one participant server 34 assigns to the requested information 24 the IP address 32 of the main server 22

and not the IP address 36 of the at least one participant server 34.

The main server 22 is a TCP/IP server that assigns jobs to the at least one participant server 34 dynamically without relocating the client 28 using neither HTTP nor HTML commands so as to take relocating process away from top networking OSI layers to 3rd level of Internet working OSI that is IP so as to enable starting downloading of the requested information 24 from one of the at least one participant servers 34 and finishing the downloading from another of the at least one participant server 34 without ever noticing server alteration.

The top networking OSI layers are at least one of TCP, HTTP, and application level.

The method for using the Internet system 20 can best be seen in figures 3A-3D, and as such, will be discussed with reference thereto.

STEP 1: Make the request for information 30, over the Internet 26, by the client 28, to the main server 22 and not to the at least one participant server 34; making the request for information 30 to the at least one participant server 34 the normal behavior of today's networking equipment and software.

STEP 2: Examine an IP address 38 of the client 28, by the main server 22.

653260 "T" 0460

STEP 3: Seek the nearest at least one participant server 34, by the main server 22, so as to form an at least one nearest participant server 40.

STEP 4: Request over the Internet 26, by the main server 22 acting like an orchestra leader, that the at least one nearest participant server 40 send the requested information 24 to the client 28, packet-by-packet, over the Internet 26.

STEP 5: Determine if the at least one nearest participant server 40 has the requested information 24.

STEP 6: Label, by the at least one nearest participant server 40, each packet with the IP address 32 of the main server 22, which enables the client 28 which has a port open only for main server addresses to accept said packets, if answer to STEP 5 is yes.

STEP 7: Send the requested information 24 with the IP address 32 of the main server 22, by the at least one nearest participant server 40, to the client 28, over the Internet 26.

STEP 8: Download the requested information 24 from the main server 22 to the at least one nearest participant server 40, which will distribute the load of the main server 22 to the at least one nearest participant server 40 when lacking multicasting so as to save costs, by virtue of the at least one nearest participant server 40 being relatively easy and

inexpensive to add as compared to clustering more servers to the main server 22, if answer to STEP 5 is no.

STEP 9: Return to STEP 6.

The step of making the request for information 30, over the Internet 26, by the client 28, to the main server 22 includes making the request for at least one of a streaming video and an audio, over the Internet 26, by the client 28, to the main server 22.

The step of seeking the nearest at least one participant server 34, by the main server 22, so as to form an at least one nearest participant server 40 includes seeking the nearest at least one participant server 34, by the main server 22, so as to form the at least one nearest participant server 40 that has the most bandwidth and CPU and other serving requirements needed to furnish the requested information 24 to the client 28.

It will be understood that each of the elements described above, or two or more together, may also find a useful application in other types of constructions differing from the types described above.

While the invention has been illustrated and described as embodied in an Internet system, however, it is not limited to the details shown, since it will be understood that various omissions, modifications, substitutions and changes in the forms and details of the device illustrated and its operation can be

made by those skilled in the art without departing in any way from the spirit of the present invention.

Without further analysis, the foregoing will so fully reveal the gist of the present invention that others can, by applying current knowledge, readily adapt it for various applications without omitting features that, from the standpoint of prior art, fairly constitute characteristics of the generic or specific aspects of this invention.

65-23627-10460

CLAIMS

The invention claimed is:

1. An Internet system, comprising:
 - a) a main server for storing information to be requested over the Internet by a client so as to form a request for information and having an IP address; and
 - b) at least one participant server having an IP address and electrically communicating with said main server; said at least one participant server not receiving the request for information from the client, but rather said main server receiving the request for information over the Internet from the client and requesting over the Internet that said at least one participant server send the requested information over the Internet back to the client, and if said at least one participant server does not have the requested information, the requested information is downloaded from said main server to said at least one participant server, and when said at least one participant server sends the requested information over the Internet back to the client, said at least one participant server assigns to the requested information said IP address of said main server and not said IP address of said at least one participant server.

2. The system as defined in claim 1, wherein said main server is a TCP/IP server and assign jobs to said at least one participant server dynamically without relocating the client using neither HTTP nor HTML commands so as to take relocating process away from top networking OSI layers to 3rd level of Internet working OSI that is IP so as to enable starting downloading of the requested information from one of said at least one participant servers and finishing the downloading from another of said at least one participant server without ever noticing server alteration by virtue of said at least one participant server assigning to the requested information said IP address of said main server and not said IP address of said at least one participant server.

3. The system as defined in claim 2, wherein said top networking OSI is at least one of TCP, HTTP, and application level.

4. A method for using an Internet system, comprising the steps of:

- a) making a request for information, over the Internet, by a client, to a main server of the Internet system and not to said at least one participant server;
- b) examining an IP address of the client, by said main server;

652260 "TETRA" 0449

- c) seeking at least one participant server of the Internet system, by said main server, so as to form an at least one nearest participant server;
- d) requesting over the Internet, by said main server acting like an orchestra leader, that said at least one nearest participant server send the requested information to the client, packet-by-packet, over the Internet;
- e) determining if said at least one nearest participant server has the requested information;
- f) labeling, by said at least one nearest participant server, each packet with an IP address of said main server, which enables the client which has a port open only for main server addresses to accept said packets, if answer to step e) is yes;
- g) sending the requested information with said IP address of said main server, by said at least one nearest participant server, to the client, over the Internet;
- h) downloading the requested information from said main server to said at least one nearest participant server, which will distribute the load of said main server to said at least one participant server when lacking multicasting so as to save costs, by virtue of said at least one participant server being relatively easy and inexpensive to add as compared to clustering more

servers to said main server, if answer to STEP 5 is no;
and

i) returning to step f).

5. The method as defined in claim 4, wherein said step of making a request for information, over the Internet, by the client, from the main server includes making the request for at least one of a streaming video and an audio, over the Internet, by the client, from the main server.
6. The method as defined in claim 4, wherein said step of seeking the nearest at least one participant server, by said main server, so as to form an at least one nearest participant server includes seeking the nearest at least one nearest participant server, by said main server, so as to form said at least one nearest participant server that has the most bandwidth and CPU and other serving requirements needed to furnish the requested information to the client.

633369 "PATENT"

ABSTRACT OF THE DISCLOSURE

An Internet system. The system includes a main server and at least one participant server. The main server stores information to be requested over the Internet by a client so as to form a request for information and has an IP address. The at least one participant server has an IP address and electrically communicates with the main server. The at least one participant server does not receive the request for information from the client, but rather the main server receives the request for information over the Internet from the client and requests over the Internet that the at least one participant server send the requested information over the Internet back to the client. If the at least one participant server does not have the requested information, the requested information is downloaded from the main server to the at least one participant server. When the at least one participant server sends the requested information over the Internet back to the client, the at least one participant server assigns to the requested information the IP address of the main server and not the IP address of the at least one participant server.

FIG. 1
(PRIOR ART)





FIG. 2



**METHOD OF USING AN INTERNET SYSTEM
(20)**




FIG 3A





FIG 3B






FIG 3D

DECLARATION, POWER OF ATTORNEY, AND PETITION FOR PATENT APPLICATION

I, a below named inventor, I hereby declare that: My residence, post office address and citizenship are as stated below next to my name. I believe I am the original, first and sole inventor of the subject matter which is claimed and for which a patent is sought on the invention entitled: INTERNET SYSTEM, the specification identified by Agent's Docket Number: ATEG21A of which is attached hereto.

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

NONE
(Number)

NONE
(Country)

NONE
(Date Filed)

☐ Yes ☒ No

I hereby claim the benefit under 35 U.S.C 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of 35 U.S.C 112, I acknowledge the duty to disclose material information as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

NONE
(U.S. Serial No.)

NONE
(Date Filed)

☐ Patented, ☐ Pending, ☐ Abandoned
(Status)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint the following agent to prosecute this application and transact all business in the Patent and Trademark Office connected therewith: RICHARD L. MILLER, Registered Patent Agent Registration No. 26,309, 12 Parkside Drive, Dix Hills, N.Y. 1746-4879, PHONE (516) 499-4343

Wherefore I pray that Letters Patent be granted to me for the invention or discovery described and claimed in the foregoing specification and claims, and I hereby subscribe my name to the foregoing specification and claims, declaration, power of attorney, and this petition.

Date: Sep. 10th 1999 SIGN HERE-->>

Gorkem I. Ates
Legal Signature of: Gorkem I. Ates

Resident.....: Tandogan, Ankara, Turkey
Citizenship.....: TURKEY
Post Office Address.: Mebusevleri Ergin Sok.21/11 06580